



# E-PACE

TECHNICAL SPECIFICATION  
FEBRUARY 2022



# E-PACE - TECHNICAL SPECIFICATION

POWERTRAIN	DIESEL		DIESEL MHEV	
	D165	D165	D165	D200
Mild Hybrid Electric Vehicle (MHEV)	-	■	■	■
Transmission	Manual	Automatic	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Front Wheel Drive (FWD)	FWD	AWD	AWD	AWD
Maximum power (PS / kW / rpm)	163 / 120 / 3.750	163 / 120 / 3.750	163 / 120 / 3.750	204 / 150 / 3.750
Maximum torque (Nm / rpm)	380 / 1.500-2.500	380 / 1.500-2.500	380 / 1.500-2.500	430 / 1.750-2.500
Capacity (cc)	1.997	1.997	1.997	1.997
No. of cylinders / Valves per cylinder	4 / 4	4 / 4	4 / 4	4 / 4
Cylinder layout	In-line	In-line	In-line	In-line
Bore / stroke (mm)	83 / 92,31	83 / 92,31	83 / 92,31	83 / 92,31
Compression ratio (:1)	16,5+ / -0,5	16,5+ / -0,5	16,5+ / -0,5	16,5+ / -0,5
<b>PERFORMANCE</b>				
Acceleration (secs) 0-100 km/h (0-60mph)	10 (9,5)	9,8 (9,2)	9,8 (9,2)	8,4 (7,9)
Maximum speed km/h (mph)	206 (128)	200 (124)	200 (124)	211 (131)
<b>BRAKES</b>				
Front type	17" wheels - Single Piston Sliding Caliper, Vented Disc 18"-21" wheels - Twin Piston Sliding Caliper, Vented Disc		Twin Piston Sliding Caliper, Vented Disc	
Front diameter (mm)	17" wheels - 325 18"-21" wheels - 349		349	
Rear type	Single Piston Sliding Caliper, Solid Disc		Single Piston Sliding Caliper, Solid Disc	
Rear diameter (mm)	300	300	300	300
Park Brake	Integrated motor-on caliper		Integrated motor-on caliper	

■ Standard - Not available.

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 23MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 23MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

## E-PACE – TECHNICAL SPECIFICATION

	DIESEL		DIESEL MHEV	
	D165	D165	D200	
<b>WEIGHTS (kg)*</b>				
Unladen weight (EU)**	1.809	1.916	1.952	
Unladen weight (DIN)†	1.734	1.841	1.877	
Gross Vehicle Weight (GVW)	2.360	2.470	2.470	
<b>TOWING (kg)</b>				
Unbraked trailer	750	750	750	
Maximum towing	1.600	1.800	2.000 (EU & ROW) / 1.800 (AUS)	
Maximum coupling point (nose weight)	100	100	100	
Maximum vehicle and trailer combination	3.960	4.270	4.470 (EU & ROW) / 4.270 (AUS)	
<b>ROOF CARRYING (kg)</b>				
Maximum roof load (including cross bars)	75	75	75	

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90 percent fuel. †Includes full fluids and 90 percent fuel.

# E-PACE - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>DIESEL</b>		<b>DIESEL MHEV</b>			
			<b>D165</b>		<b>D165</b>		<b>D200</b>	
Fuel tank capacity - useable litres	Large		65		65		65	
	Eco		54		54		54	
Diesel Particulate Filter (DPF)			■		■		■	
<b>NEDC EQUIVALENT (NEDC2)*</b>			<b>Class A</b>	<b>Class B</b>	<b>Class A</b>	<b>Class B</b>	<b>Class A</b>	<b>Class B</b>
Driveline			FWD		AWD		AWD	
NEDC2 Consumption	Urban	l/100km (mpg)	5,6 (50,4)	5,9 (47,9)	6,0 (47,1)	6,2 (45,6)	6,0 (47,1)	6,2 (45,6)
	Extra Urban	l/100km (mpg)	4,6 (61,4)	5,1 (55,4)	4,9 (57,6)	5,0 (56,5)	4,9 (57,6)	5,0 (56,5)
	Combined	l/100km (mpg)	5,0 (56,5)	5,4 (52,3)	5,2 (54,3)	5,4 (52,3)	5,3 (53,3)	5,4 (52,3)
NEDC2 CO <sub>2</sub> Emissions	Urban	(g/km)	147	154	158	162	159	163
	Extra Urban	(g/km)	122	133	128	132	128	133
	Combined	(g/km)	131	141	139	143	140	144
<b>WLTP**</b>								
WLTP Consumption	Low	l/100km (mpg)	7,6-8,3 (37,2-34,0)		7,3-7,8 (38,7-36,2)		7,4-7,8 (38,2-36,2)	
	Medium	l/100km (mpg)	6,0-6,9 (47,1-40,9)		6,5-7,1 (43,5-39,8)		6,6-7,2 (42,8-39,2)	
	High	l/100km (mpg)	5,2-5,9 (54,3-47,9)		5,6-6,1 (50,4-46,3)		5,6-6,2 (50,4-45,6)	
	Extra High	l/100km (mpg)	6,2-7,0 (45,6-40,4)		6,7-7,2 (42,2-39,2)		6,7-7,4 (42,2-38,2)	
	Combined	l/100km (mpg)	6,0-6,8 (47,1-41,5)		6,4-6,9 (44,1-40,9)		6,4-7,0 (44,1-40,4)	
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	198-218		191-204		193-204	
	Medium	(g/km)	157-180		171-187		173-189	
	High	(g/km)	137-155		146-160		147-162	
	Extra High	(g/km)	161-184		175-189		176-194	
	Combined	(g/km)	158-179		167-182		169-185	

■ Standard.

Class A (17"-20" wheels and 19" wheels with Summer tyres). Class B (19" wheels with All-Season tyres and 21" wheels).

\*The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

\*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# E-PACE - TECHNICAL SPECIFICATION

	<b>DIESEL</b>	
<b>POWERTRAIN</b>	<b>D165</b>	<b>D200</b>
Mild Hybrid Electric Vehicle (MHEV)	-	-
Transmission	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Front Wheel Drive (FWD)	AWD	AWD
Maximum power (PS / kW / rpm)	163 / 120 / 3.750	199 / 146 / 3.750-4.000
Maximum torque (Nm / rpm)	380 / 1.500-2.500	430 / 1.750-2.500
Capacity (cc)	1.997	1.997
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	In-line	In-line
Bore / stroke (mm)	83 / 92,31	83 / 92,31
Compression ratio (:1)	16,5+ / -0,5	16,5+ / -0,5
<b>PERFORMANCE</b>		
Acceleration (secs) 0-100 km/h (0-60mph)	9,8 (9,2)	8,4 (7,9)
Maximum speed km/h (mph)	200 (124)	211 (131)
<b>BRAKES</b>		
Front type	17" wheels - Single Piston Sliding Caliper, Vented Disc 18"-21" wheels - Twin Piston Sliding Caliper, Vented Disc	Twin Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" wheels - 325 18"-21" wheels - 349	349
Rear type	Single Piston Sliding Caliper, Solid Disc	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	300	300
Park Brake	Integrated motor-on caliper	Integrated motor-on caliper

## E-PACE - TECHNICAL SPECIFICATION

	DIESEL	
<b>WEIGHTS (kg)*</b>	<b>D165</b>	<b>D200</b>
Unladen weight (EU)**	1.884	1.920
Unladen weight (DIN)†	1.809	1.845
Gross Vehicle Weight (GVW)	2.470	2.470
<b>TOWING (kg)</b>		
Unbraked trailer	750	750
Maximum towing	1.800	2.000 (EU) / 1.800 (AUS)
Maximum coupling point (nose weight)	100	100
Maximum vehicle and trailer combination	4.270	4.470 (EU & ROW) / 4.270 (AUS)
<b>ROOF CARRYING (kg)</b>		
Maximum roof load (including cross bars)	75	75

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90 percent fuel. †Includes full fluids and 90 percent fuel.

# E-PACE - TECHNICAL SPECIFICATION

			DIESEL	
FUEL ECONOMY			D165 [1]	D200 [1]
Fuel tank capacity - useable litres	Large		65	65
Diesel Particulate Filter (DPF)			■	■
Driveline			AWD	AWD
Consumption	Combined	l/100km (mpg)	5,9 (47,9)	5,9 (47,9)
CO <sub>2</sub> Emissions	Combined	(g/km)	155	155

■ Standard.

[1] The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real-world figures may differ.

# E-PACE - TECHNICAL SPECIFICATION

POWERTRAIN	PETROL MHEV		
	P160	P200	P250
Mild Hybrid Electric Vehicle (MHEV)	■	■	■
Transmission	Automatic	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Front Wheel Drive (FWD)	FWD	AWD	AWD
Maximum power (PS / kW / rpm)	160 / 118 / 5.500	200 / 147 / 5.500	249 / 184 / 5.500
Maximum torque (Nm / rpm)	260 / 1.600-4.000	320 / 1.200-4.000	365 / 1.300-4.500
Capacity (cc)	1.498	1.997,34	1.997,34
No. of cylinders / Valves per cylinder	3 / 4	4 / 4	4 / 4
Cylinder layout	In-line	In-line	In-line
Bore / stroke (mm)	83 / 92,29	83 / 92,29	83 / 92,29
Compression ratio (:1)	10,5+ / -0,5	10,5+ / -0,5	10,5+ / -0,5
<b>PERFORMANCE</b>			
Acceleration (secs) 0-100 km/h (0-60mph)	10,3 (9,7)	8,5 (8,0)	7,5 (7,0)
Maximum speed km/h (mph)	197 (122)	212 (132)	229 (142)
<b>BRAKES</b>			
Front type	17" wheels - Single Piston Sliding Caliper, Vented Disc 18"-21" wheels - Twin Piston Sliding Caliper, Vented Disc		Twin Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" wheels - 325 18"-21" wheels - 349		349
Rear type	Single Piston Sliding Caliper, Solid Disc		Single Piston Sliding Caliper, Vented Disc
Rear diameter (mm)	300		325
Park Brake	Integrated motor-on caliper		Integrated motor-on caliper



# E-PACE – TECHNICAL SPECIFICATION

	PETROL MHEV		
<b>WEIGHTS (kg)*</b>	<b>P160</b>	<b>P200</b>	<b>P250</b>
Unladen weight (EU)**	1.783	1.847	1.889
Unladen weight (DIN)†	1.708	1.772	1.814
Gross Vehicle Weight (GVW)	2.300	2.430	2.430
<b>TOWING (kg)</b>			
Unbraked trailer	-	750	750
Maximum towing	-	1.800	1.800
Maximum coupling point (nose weight)	-	100	100
Maximum vehicle and trailer combination	-	4.230	4.230
<b>ROOF CARRYING (kg)</b>			
Maximum roof load (including cross bars)	75	75	75

- Not available.

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90 percent fuel. †Includes full fluids and 90 percent fuel.

# E-PACE - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>PETROL MHEV</b>							
			<b>P160</b>		<b>P200</b>		<b>P250</b>			
Fuel tank capacity - useable litres			67		67		67			
Diesel/Gasoline Particulate Filter (DPF/GPF)			■		■		■			
<b>NEDC EQUIVALENT (NEDC2)*</b>			<b>Class A</b>		<b>Class B</b>		<b>Class A</b>		<b>Class B</b>	
Driveline			FWD		AWD		AWD			
NEDC2 Consumption	Urban	l/100km (mpg)	TBC	TBC	10,3 (27,4)	10,5 (26,9)	10,3 (27,4)	10,5 (26,9)	10,3 (27,4)	10,5 (26,9)
	Extra Urban	l/100km (mpg)	TBC	TBC	6,2 (45,6)	6,4 (44,1)	6,3 (44,8)	6,5 (43,5)	6,3 (44,8)	6,5 (43,5)
	Combined	l/100km (mpg)	TBC	TBC	7,7 (36,7)	7,9 (35,8)	7,7 (36,7)	7,9 (35,8)	7,7 (36,7)	7,9 (35,8)
NEDC2 CO <sub>2</sub> Emissions	Urban	(g/km)	TBC	TBC	233	237	234	238	234	238
	Extra Urban	(g/km)	TBC	TBC	141	146	141	146	141	146
	Combined	(g/km)	TBC	TBC	175	179	175	180	175	180
<b>WLTP**</b>			<b>Class A</b>		<b>Class B</b>		<b>Class A</b>		<b>Class B</b>	
WLTP Consumption	Low	l/100km (mpg)	10,1-10,3 (28,0-27,4)		11,9-12,6 (23,7-22,4)		11,9-12,6 (23,7-22,4)			
	Medium	l/100km (mpg)	7,7-7,9 (36,7-35,8)		8,8-9,5 (32,1-29,7)		8,8-9,5 (32,1-29,7)			
	High	l/100km (mpg)	6,6-7,0 (42,8-40,4)		7,6-8,3 (37,2-34,0)		7,6-8,3 (37,2-34,0)			
	Extra High	l/100km (mpg)	8,3-8,8 (34,0-32,1)		8,9-9,8 (31,7-28,8)		8,9-9,9 (31,7-28,5)			
	Combined	l/100km (mpg)	7,9-8,3 (35,8-34,0)		8,9-9,7 (31,7-29,1)		8,9-9,7 (31,7-29,1)			
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	228-234		268-284		269-284			
	Medium	(g/km)	174-180		197-215		198-215			
	High	(g/km)	151-158		171-187		171-187			
	Extra High	(g/km)	188-199		200-222		201-222			
	Combined	(g/km)	179-187		200-218		200-218			

■ Standard.

Class A (17"-20" wheels and 19" wheels with Summer tyres). Class B (19" wheels with All-Season tyres and 21" wheels).

\*The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

\*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# E-PACE - TECHNICAL SPECIFICATION

	PETROL	
POWERTRAIN	P200	P250
Mild Hybrid Electric Vehicle (MHEV)	-	-
Transmission	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Front Wheel Drive (FWD)	AWD	AWD
Maximum power (PS / kW / rpm)	200 / 147 / 5.500	249 / 184 / 5.500
Maximum torque (Nm / rpm)	320 / 1.200-4.000	365 / 1.300-4.500
Capacity (cc)	1.997,34	1.997,34
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	In-line	In-line
Bore / stroke (mm)	83 / 92,29	83 / 92,29
Compression ratio (:1)	10,5+ / -0,5	10,5+ / -0,5
PERFORMANCE		
Acceleration (secs) 0-100 km/h (0-60mph)	8,5 (8,0)	7,5 (7,0)
Maximum speed km/h (mph)	212 (132)	229 (142)
BRAKES		
Front type	17" wheels - Single Piston Sliding Caliper, Vented Disc 18"-21" wheels - Twin Piston Sliding Caliper, Vented Disc	Twin Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" wheels - 325 18"-21" wheels - 349	349
Rear type	Single Piston Sliding Caliper, Solid Disc	Single Piston Sliding Caliper, Vented Disc
Rear diameter (mm)	300	325
Park Brake	Integrated motor-on caliper	Integrated motor-on caliper

## E-PACE – TECHNICAL SPECIFICATION

	PETROL	
<b>WEIGHTS (kg)*</b>	<b>P200</b>	<b>P250</b>
Unladen weight (EU)**	1.815	1.857
Unladen weight (DIN)†	1.740	1.782
Gross Vehicle Weight (GVW)	2.430	2.430
<b>TOWING (kg)</b>		
Unbraked trailer	750	750
Maximum towing	1.800	1.800
Maximum coupling point (nose weight)	100	100
Maximum vehicle and trailer combination	4.230	4.230
<b>ROOF CARRYING (kg)</b>		
Maximum roof load (including cross bars)	75	75

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90 percent fuel. †Includes full fluids and 90 percent fuel.

# E-PACE - TECHNICAL SPECIFICATION

			PETROL	
<b>FUEL ECONOMY</b>			<b>P200 [1]</b>	<b>P250 [1]</b>
Fuel tank capacity - useable litres			67	67
Gasoline Particulate Filter (GPF)			■	■
Driveline			AWD	AWD
Consumption	Combined	l/100km (mpg)	8,0 (35,3)	8,0 (35,3)
CO <sub>2</sub> Emissions	Combined	(g/km)	186	186

■ Standard.

[1] The figures provided are NEDC calculated from official manufacturer's tests. Figures may vary according to environment and driving style. For comparison purposes only. Real-world figures may differ.

# E-PACE - TECHNICAL SPECIFICATION

	PETROL MHEV	PETROL PHEV
	P300	P300e
<b>POWERTRAIN</b>		
Mild Hybrid Electric Vehicle (MHEV)	■	-
Transmission	Automatic	Automatic
Driveline: All Wheel Drive (AWD)	AWD	AWD
Maximum power (PS / kW / rpm)	300 / 221 / 5.500	309 / 227 / 5.500*
Maximum torque (Nm / rpm)	400 / 1.500-4.500	540 / 1.600-4.500*
Capacity (cc)	1.997,34	1.498
No. of cylinders / Valves per cylinder	4 / 4	3 / 4
Cylinder layout	In-line	In-line
Bore / stroke (mm)	83 / 92,29	83 / 92,29
Compression ratio (:1)	10,5+ / -0,5	10,5+ / -0,5
<b>PERFORMANCE</b>		
Acceleration (secs) 0-100 km/h (0-60mph)	6,9 (6,6)	6,5 (6,1)
Maximum speed km/h (mph)	241 (150)	216 (134)
<b>ELECTRIC MOTOR DATA</b>		
Maximum power (PS/kW)	-	109/80
Maximum torque (Nm)	-	260
<b>BRAKES</b>		
Front type	Twin Piston Sliding Caliper, Vented Disc	Twin Piston Sliding Caliper, Vented Disc
Front diameter (mm)	349	349
Rear type	Single Piston Sliding Caliper, Vented Disc	Single Piston Sliding Caliper, Vented Disc
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	iEPB, motor on caliper

■ Standard - Not available.

\*When combined with electric motor.

# E-PACE – TECHNICAL SPECIFICATION

	PETROL MHEV	PETROL PHEV
	P300	P300e
<b>BATTERY AND CHARGING TIMES</b>		
Home Charger/Wall box 7kW	-	1,4h to 80%, 2,2h to 100%
DC Charger 50kW	-	30 mins to 80% (max rate 32kW)
Domestic Plug 2,3kW	-	5h to 80%, 6,7h to 100%
Battery capacity (Usable) kWh	-	11,6
Charging cable length (m)	-	5
<b>WEIGHTS (kg)*</b>		
Unladen weight (EU)**	1.952	2.173
Unladen weight (DIN)†	1.877	2.098
Gross Vehicle Weight (GVW)	2.450	2.670
<b>TOWING (kg)</b>		
Unbraked trailer	750	750
Maximum towing	1.800	1.600 (EU) / 1.500 (ROW)
Maximum coupling point (nose weight)	100	100
Maximum vehicle and trailer combination	4.250	4.270 (EU) / 4.170 (ROW)
<b>ROOF CARRYING (kg)</b>		
Maximum roof load (including cross bars)	75	75

- Not available.

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90 percent fuel. †Includes full fluids and 90 percent fuel.

# E-PACE - TECHNICAL SPECIFICATION

			PETROL MHEV		PETROL PHEV	
FUEL ECONOMY			P300		P300e	
Fuel tank capacity - useable litres			67		57,6	
Gasoline Particulate Filter (GPF)			■		■	
EV Range Class A Combined (NEDC2*) km (miles)			-		TBC	
EV Range TEH Combined (WLTP**) km (miles)			-		59 (37)	
NEDC EQUIVALENT (NEDC2)*			Class A		Class B	
Driveline			AWD		AWD	
NEDC2 Consumption	Urban	l/100km (mpg)	9,5 (29,7)	9,9 (28,5)	-	-
	Extra Urban	l/100km (mpg)	6,6 (42,8)	6,7 (42,2)	-	-
	Combined	l/100km (mpg)	7,7 (36,7)	7,9 (35,8)	TBC	TBC
NEDC2 CO <sub>2</sub> Emissions	Urban	(g/km)	217	226	-	-
	Extra Urban	(g/km)	150	153	-	-
	Combined	(g/km)	175	179	TBC	TBC
WLTP**						
WLTP Consumption	Low	l/100km (mpg)	12,1-12,4 (23,3-22,8)		-	
	Medium	l/100km (mpg)	9,1-9,7 (31,0-29,1)		-	
	High	l/100km (mpg)	7,6-8,3 (37,2-34,0)		-	
	Extra High	l/100km (mpg)	9,1-9,9 (31,0-28,5)		-	
	Combined	l/100km (mpg)	9,0-9,7 (31,4-29,1)		1,4-1,6 (201,8-176,6)	
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	273-279		-	
	Medium	(g/km)	205-219		-	
	High	(g/km)	172-187		-	
	Extra High	(g/km)	204-223		-	
	Combined	(g/km)	204-218		32-36	

■ Standard - Not available.

Class A (17"-20" wheels and 19" wheels with Summer tyres). Class B (19" wheels with All-Season tyres and 21" wheels).

\*The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub>, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied. \*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation with a fully charged battery. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub>, fuel economy, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route.



# E-PACE - DIMENSIONS

**Vehicle Height** - 1.648mm

**Headroom**

Maximum front / rear headroom

With Fixed metal roof fitted 976 / 974mm

With Panoramic roof fitted 996 / 970mm

**Legroom**

Maximum front legroom 1.018mm

Maximum rear legroom 872mm

**Loadspace Capacity**

Height 705mm, Width 1.311mm

Loadspace width between arches 1.057mm

Maximum loadspace volume behind first row

Dry\* 1.170 litres, Wet\*\* 1.386 litres

Maximum loadspace volume behind second row

Dry\* 494 litres, Wet\*\* 601 litres


**Turning Circle**

Kerb-to-kerb 11.63m

Wall-to-wall 12m

Turns lock-to-lock 2,31

Overall Width  
(inc. mirrors) 2.088mm  
(mirrors folded) 1.984mm



\*Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

\*\*Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.