



JAGUAR

**XE**

TECHNICAL SPECIFICATION  
AUGUST 2021



## XE - TECHNICAL SPECIFICATION

	<b>DIESEL</b>	
	<b>D200 MHEV</b>	
<b>POWERTRAIN</b>		
Transmission	Automatic	Automatic
Driveline	Rear Wheel Drive (RWD)	All Wheel Drive (AWD)
Maximum power (PS / rpm)	204 / 4.250	204 / 4.250
Maximum torque (Nm / rpm)	430 / 1.750-2.500	430 / 1.750-2.500
Capacity (cc)	1.997	1.997
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	Inline	Inline
Bore / stroke (mm)	83 / 92,31	83 / 92,31
Compression ratio (:1)	16,5+ / -0,5	16,5+ / -0,5
<b>PERFORMANCE</b>		
Acceleration (secs) 0-100 km/h (0-60 mph)	7,3 (6,9)	7,5 (7,0)
Maximum speed km/h (mph)	235 (146)	230 (143)
<b>BRAKES</b>		
Front type	Single Piston Sliding Caliper, Vented Disc	
Front diameter (mm)	325	325
Rear type	Single Piston Sliding Caliper, Solid Disc	
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 22MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 22MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

## XE - TECHNICAL SPECIFICATION

	<b>DIESEL</b>	
	<b>D200 MHEV</b>	
<b>WEIGHTS (kg)*</b>		
Unladen weight (EU)**	1.722	1.779
Unladen weight (DIN)†	1.647	1.704
Gross Vehicle Weight (GVW)	2.240	2.310
<b>TOWING (kg)</b>		
Unbraked trailer	750	750
Maximum towing	1.800	1.800
Maximum coupling point (nose weight)	75	75
Maximum vehicle and trailer combination	4.040	4.110
<b>ROOF CARRYING (kg)</b>		
Maximum roof load (including cross bars)	75	75

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

# XE - TECHNICAL SPECIFICATION

			<b>DIESEL</b>			
<b>FUEL ECONOMY</b>			<b>D200 MHEV</b>			
Fuel tank capacity - useable litres			56			
Diesel Exhaust Fluid (DEF) - useable litres			16			
Diesel Particulate Filter (DPF)			●			
<b>NEDC EQUIVALENT (NEDC2)*</b>			<b>Class A</b>		<b>Class B</b>	
Driveline			RWD		AWD	
NEDC2 Consumption	Urban	l/100km (mpg)	5,0 (56,5)	5,1 (55,4)	5,3 (53,3)	5,4 (52,3)
	Extra Urban	l/100km (mpg)	3,8 (74,3)	4,0 (70,6)	4,2 (67,3)	4,3 (65,7)
	Combined	l/100km (mpg)	4,3 (65,7)	4,4 (64,2)	4,6 (61,4)	4,7 (60,1)
NEDC2 CO <sub>2</sub> Emissions	Urban	(g/km)	132	136	140	142
	Extra Urban	(g/km)	101	104	111	113
	Combined	(g/km)	112	116	122	124
<b>WLTP**</b>						
WLTP Consumption	Low	l/100km (mpg)	6,1-6,5 (46,3-43,5)		6,6-7,0 (42,8-40,4)	
	Medium	l/100km (mpg)	4,9-5,4 (57,6-52,3)		5,6-6,0 (50,4-47,1)	
	High	l/100km (mpg)	4,1-4,7 (68,9-60,1)		4,8-5,1 (58,9-55,4)	
	Extra High	l/100km (mpg)	5,0-5,6 (56,5-50,4)		5,6-6,2 (50,4-45,6)	
	Combined	l/100km (mpg)	4,8-5,4 (58,9-52,3)		5,5-5,9 (51,4-47,9)	
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	159-171		172-183	
	Medium	(g/km)	129-142		147-157	
	High	(g/km)	107-122		125-135	
	Extra High	(g/km)	130-147		148-161	
	Combined	(g/km)	127-142		144-155	

● Standard.

Class A (17" and 18" wheels with ULRR Tyres) Class B (17" and 19" wheels)

\*The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

\*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

## **XE** - TECHNICAL SPECIFICATION

	<b>PETROL</b>	
<b>POWERTRAIN</b>	<b>P250</b>	<b>P300</b>
Transmission	Automatic	Automatic
Driveline	Rear Wheel Drive (RWD)	All Wheel Drive (AWD)
Maximum power (PS / rpm)	250 / 5.500	300 / 5.500
Maximum torque (Nm / rpm)	365 / 1.300-4.500	400 / 1.500-4.500
Capacity (cc)	1.997,34	1.997,34
No. of cylinders / Valves per cylinder	4 / 4	4 / 4
Cylinder layout	Inline	Inline
Bore / stroke (mm)	83 / 92,29	83 / 92,29
Compression ratio (:1)	10,5+ / -0,5	9,5+ / -0,5
<b>PERFORMANCE</b>		
Acceleration (secs) 0-100 km/h (0-60 mph)	6,7 (6,4)	5,9 (5,6)
Maximum speed km/h (mph)	242 (150)	250 (155)
<b>BRAKES</b>		
Front type	Single Piston Sliding Caliper, Vented Disc	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	17" Wheel - 325mm 18" Wheel - 350mm	350
Rear type	Single Piston Sliding Caliper, Solid Disc	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	iEPB, motor on caliper

## **XE - TECHNICAL SPECIFICATION**

	<b>PETROL</b>	
<b>WEIGHTS (kg)*</b>	<b>P250</b>	<b>P300</b>
Unladen weight (EU)**	1.611	1.690
Unladen weight (DIN)†	1.536	1.615
Gross Vehicle Weight (GVW)	2.150	2.210
<b>TOWING (kg)</b>		
Unbraked trailer	750	750
Maximum towing	1.800	1.800
Maximum coupling point (nose weight)	75	75
Maximum vehicle and trailer combination	3.950	4.010
<b>ROOF CARRYING (kg)</b>		
Maximum roof load (including cross bars)	75	75

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

# XE - TECHNICAL SPECIFICATION

			PETROL				
<b>FUEL ECONOMY</b>			<b>P250</b>		<b>P300</b>		
Fuel tank capacity - useable litres			61,7		61,7		
Gasoline Particulate Filter (GPF)			●		●		
<b>NEDC EQUIVALENT (NEDC2)*</b>			<b>Class A</b>	<b>Class B</b>	<b>Class A</b>	<b>Class B</b>	<b>Class E</b>
Driveline			RWD		AWD		
NEDC2 Consumption	Urban	l/100km (mpg)	8,6 (32,8)	8,9 (31,7)	9,1 (31,0)	9,1 (31,0)	9,1 (31,0)
	Extra Urban	l/100km (mpg)	5,6 (50,4)	5,8 (48,7)	6,5 (43,5)	6,6 (42,8)	6,6 (42,8)
	Combined	l/100km (mpg)	6,7 (42,2)	6,9 (40,9)	7,4 (38,2)	7,5 (37,7)	7,6 (37,2)
NEDC2 CO <sub>2</sub> Emissions	Urban	(g/km)	196	202	206	207	208
	Extra Urban	(g/km)	128	132	149	150	152
	Combined	(g/km)	153	157	169	170	172
<b>WLTP**</b>							
WLTP Consumption	Low	l/100km (mpg)	11,8-12,8 (23,9-22,1)			12,9-13,1 (21,9-21,6)	
	Medium	l/100km (mpg)	7,9-9,2 (35,8-30,7)			8,6-9,4 (32,8-30,1)	
	High	l/100km (mpg)	6,7-7,9 (42,2-35,8)			7,5-8,3 (37,7-34,0)	
	Extra High	l/100km (mpg)	7,5-8,9 (37,7-31,7)			8,3-9,4 (34,0-30,1)	
	Combined	l/100km (mpg)	7,9-9,1 (35,8-31,0)			8,7-9,5 (32,5-29,7)	
WLTP CO <sub>2</sub> Emissions	Low	(g/km)	267-288			291-295	
	Medium	(g/km)	178-207			194-212	
	High	(g/km)	151-177			168-186	
	Extra High	(g/km)	170-200			188-212	
	Combined	(g/km)	179-206			196-215	

● Standard.

Class A (17" and 18" wheels with ULRR Tyres) Class B (17" and 19" wheels) Class E (20" wheels)

\*The figures provided are NEDC2 calculated from official manufacturer's WLTP tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted. NEDC2 are figures calculated using a Government formula from WLTP figures equivalent to what they would have been under the old NEDC test. The correct tax treatment can then be applied.

\*\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# XE - DIMENSIONS

## Vehicle Height

With roof antenna 1.410mm

## Headroom

Maximum front / rear headroom with

Panoramic roof fitted 941 / 940mm

Maximum front / rear headroom with

fixed metal roof fitted 971 / 948mm

## Legroom

Maximum front legroom 1.055mm

Maximum rear legroom 889mm

## Loadspace Capacity

Height 402mm, Width 1.123mm

Loadspace width between arches 791mm

Maximum loadspace volume behind second row

Dry\* 285 litres (270 on MHEV)

Wet\*\* 394 litres (356 on MHEV)

## Turning Circle

Kerb-to-kerb 11,58m

Wall-to-wall 11,96m

Turns lock-to-lock 2,58

Width (unfolded) 2.075mm



RWD - 1.604,6mm  
AWD - 1.607,8mm

Width (mirrors folded) 1.967mm



RWD - 1.607,8mm  
AWD - 1.605,9mm



2.835mm  
4.678mm

\*Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm).

\*\*Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.